
1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Diethyl ether
Synonyms	Ethyl ether, ether
Grade	ACS, HPLC, Dehydrous, Anapremium, Pesticide
Company	Anaqua Chemicals Supply 1510 Eldridge Parkway, Suite 110-268 Houston, TX 77077, USA
Telephone	(281) 668-0032
Fax	(281) 668-0033

2. COMPOSITION/ INFORMATION ON INGREDIENTS

Formula	$(C_2H_5)_2O$
CAS-No.	60-29-7
Index-No.	603-022-00-4
Ec-No.	200-467-2
Concentration	> 95 %

3. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquid	Category 1
Acute toxicity, oral	Category 4
Specific target organ toxicity- single exposure	Category 3

4. FIRST AID MEASURES

Inhalation	If breathed in, move to fresh air. If not breathing, give artificial respiration. Consult a physician.
Ingestion	Rinse mouth with water. Consult a physician immediately.
Skin Contact	Immediately wash off with plenty of water for at least 15 minutes. Consult a physician.
Eye Contact	Rinse through with plenty of water for at least 15 minutes. Consult a physician.
Note to Physician	Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use dry sand, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during fire fighting	Combustible material. Container may explode when heated. Vapors may form explosive mixtures with air at ambient temperature and vapors may flash back.
Special protective equipment for fire-fighters	Wear self contained breathing apparatus for fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Use personal protective clothing and ventilation equipments. Avoid breath in vapors, mist or gas. Ensure adequate ventilation.
Environmental precautions	Do not release into drains.
Methods for cleaning up	Soak up with inert absorbent material and dispose in suitable, closed containers.

7. HANDLING AND STORAGE

Handling	Wear personal protective equipments. Avoid breath in vapors, mist or gas. Avoid contact with skin and eye. Keep away from hot surface, open fire and any sources of ignition. Take measures against electrostatic charge.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Protected from light. Keep away from source of ignition. Do not allow contact with air.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Occupational exposure controls

Engineering Measures	Ensure that eye washer and emergency showers are close to the work place. Ensure adequate ventilation. Work under hood.
----------------------	---

Personal protective Equipment

Respiratory protection	Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)
Hand and Eye protection	Wear appropriate protective gloves. Tightly fitting safety glasses.
Skin and body protection	Protective clothes should be selected specifically for the work place according to concentration and quantity of the chemical handled.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Wash hands and face before breaks and at the end of working day.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Liquid
Color	Colorless
pH	No data available
Melting point	-116 °C (-177 °F)
Boiling point	34.6 °C (94.3 °F) at 1,013 hPa (760 mmHg)
Flash point	-40.0 °C (-40 °F)
Ignition temperature	180 °C (356 °F)
Lower explosion limit	1.8 % (V)
Upper explosion limit	48 % (V)
Vapor pressure	563.0 hPa (132.0 mmHg) at 20.0 °C (68.0 °F)
Density	0.71 g/mL at 20 °C (68 °F)
Water solubility	65 g/l at 20 °C (68 °F)
Partition coefficient: n-octanol/ water	log Pow: 3.90- 4.11
Molecular weight	74.12

10. STABILITY AND REACTIVITY

Storage stability	Stable under recommended storage conditions.
Conditions to avoid	Sources of ignition. Excess heat. Exposure to air or moisture. Exposure to light.
Materials to avoid	Strong oxidizing agents, Strong acid, Halogens.
Hazardous decomposition products	Carbon monoxide, Carbon dioxide, peroxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity	LD50 Oral 1,215 mg/kg (Rat) LD50 Dermal >14.2 g/kg (Rabbit) LC50 Inhalation 31,000 mg/kg (Mouse) 30 min
Skin irritation	No data available
Eye irritation	Slight eye irritation (Rabbit)
Sensitization	No data available
Symptoms of Exposure	Salivation, Euphoria, Coma, Drowsiness
Specific target organ toxicity – single exposure (GHS)	May cause drowsiness or dizziness.
Specific target organ toxicity – repeated exposure (GHS)	No data available

12. ECOLOGICAL INFORMATION

Persistence and degradability	No available information
Ecotoxicity	
Toxicity to fish	LC50 2,560 mg/l (Fathead minnow) 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 1,380.00 mg/l (Daphnia magna) 48 h
Mobility	No available information

13. DISPOSAL CONSIDERATIONS

Product	Chemical should be disposed of in accordance with local environmental regulations. Contact a licensed professional waste disposal service to dispose of this chemical.
Packaging	Empty containers should be disposed of in accordance with local environmental regulations and taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

IATA

UN-Number: 1155 Class: 3 Packing group: I
Proper shipping name: Diethyl ether

IMDG

UN-Number: 1155 Class: 3 Packing group: I
Proper shipping name: Diethyl ether

EMS-No. F-E, S-D

DOT (US)

UN-Number: 1155 Class: 3

Packing group: I

Proper shipping name: Diethyl ether

Reportable Quantity (RQ): 100 lbs

Marine pollution: No

Poison Inhalation Hazard: No

15. REGULATORY INFORMATION

Hazard statements

H224: Extremely flammable liquid and vapor

H302: Harmful if swallowed

H319: Cause serious eye irritation

H333: May be harmful if inhaled

H336: May cause drowsiness or dizziness

Precautionary statements

P210: Keep away from heat/spark/open flames/hot surface.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P305 +P351+ P338: If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do.

OSHA Hazards

Flammable liquid, Target organ effect, Irritant, Harmful by ingestion.

DSL Status

All components of this product are on the Canadian DSL list.

GHS-Labeling

Pictogram



Signal word *Danger*

Labeling according to EC Directive

Symbol(s): F+- Extremely flammable Xn- Harmful

R-phrase(s): 12-19-22-66-67

Extremely flammable. May form explosive peroxides. Harmful if swallowed. Repeated exposure may cause skin dryness or cracking. Vapors may cause drowsiness and dizziness.

S-phrase(s): 9-16-29-33

Keep container in a well-ventilated place. Keep away from source of ignition. Do not empty into drains. Take precautionary measures against static discharge.

16. OTHER INFORMATION

Copyright 2011 Anaqua Chemicals Supply. License granted to make unlimited paper copies for internal use only. The information, data, and recommendations in this material safety data sheet relate only to the specific material designated herein and do not relate to use in combination with any other material or in any process. The information, data, and recommendations set forth herein are believed by us to be accurate. We make no warranties, either expressed or implied, with respect thereto and assume no liability in connection with any use of such information, data, and recommendations.